



Flush Casement Window System


EXCALIBUR SHOOTBOLT FLUSH CASEMENT
WINDOW SYSTEM

T 01726 871 025 E sales@coastal-group.com W coastal-group.com
© Coastal Specialist Ironmongery Ltd




COASTAL

Shaping the future.



- The Excalibur shootbolt window system is a very effective way of securing timber flush casement or stormproof windows
- Secured by Design, BS7950 and BBA Approved
- Bi-directional central locking claws
- For additional security it throws shootbolts into the head and sills
- Simple but effective to install
- Night vent keeps
- Fits all euro groove systems
- Suitable for single or pairs of side hung stormproof or flush casement windows

DOUBLE CASEMENT WINDOW WITH FLYING/SLAVE MULLION CONFIGURATION




Double casement window configuration with a fixed mullion as shown above, handles are then used on both sashes and the keeps are secured into the fixed mullion..

A flying/ slave mullion can be used, the keeps would be located into the flying/ slave mullion as shown above, the sash needs to be secured into the closed position by the use of euro groove flick bolts or flush bolts within the sash stile, then the master sash locks into the slave sash, no handle would be required in the slave sash.

EXCALIBUR™ CENTRE GEARBOX - EXG

PART NUMBER	PRODUCT DESCRIPTION	FINISH	UNITS
EXG-22-SV	Excalibur gearbox 22mm backset	SV	Each
EXG-25-SV	Excalibur gearbox 25mm backset	SV	Each

- Robust central gearbox for Excalibur Shootbolt Window System
- Bi-directional high security dual-claws lock securely into substantial centre keep
- Activates two shootbolts into head and sill of window to effectively secure the window
- BS 7950, Secured by Design and BBA Approved
- Suitable for single or pairs of side hung stormproof or flush casement windows




EXG Centre Gearbox

EXCALIBUR™ SHOOTBOLT EXTENSION PIECE - EXE

PART NUMBER	PRODUCT DESCRIPTION	FINISH	UNITS
EXE-1-SV	Rebate length: 310-440mm	SV	Each
EXE-2-SV	Rebate length: 364-500mm	SV	Each
EXE-3-SV	Rebate length: 430-692mm	SV	Each
EXE-4-SV	Rebate length: 492-692mm	SV	Each
EXE-5-SV	Rebate length: 690-950mm	SV	Each
EXE-6-SV	Rebate length: 946-1210mm	SV	Each
EXE-7-SV	Rebate length: 1210-1470mm	SV	Each

- Excalibur shootbolt croppable extension pieces for use with the Excalibur central gearbox
- Two shootbolts lock into head and sill to effectively secure the window

NOTE:
Two extension pieces are required per opening sash (one for the top and one for the bottom)



EXE Shootbolt Extension


EXCALIBUR EXTENSION BAR – EXD300MM

EXCALIBUR SHOOTBOLT FLUSH CASEMENT WINDOW SYSTEM

EXCALIBUR EXTENSION BAR – EXD300MM

PART NUMBER	PRODUCT DESCRIPTION	FINISH	UNITS
EXD300-EXT-SV	300mm Extension bar	SV	Each

- 300mm extension bar for the Excalibur Shootbolt Window System





EXD300-EXT-SV


EXCALIBUR™ STORMPROOF ESPAGNOLETTE BOLT KEEPS - EXK

PART NUMBER	PRODUCT DESCRIPTION	FINISH	UNITS
EXK-4-SV	Stormproof centre keep	SV	Each
EXK-5-SV	Left hand stormproof shootbolt keep	SV	Each
EXK-6-SV	Right hand stormproof shootbolt keep	SV	Each

- Keeps for Stormproof Windows using the Excalibur Shootbolt Window System
- One centre keep, one left hand and one right hand shootbolt keeps are required per opening sash




EXK-4-SV



EXK-6-SV (Right Hand)

EXK-5-SV (Left Hand)





EXK-6-SV
Right Hand Keep shown

EXCALIBUR™ ESPAGNOLETTE BOLT KEEPS - EXK

PART NUMBER	PRODUCT DESCRIPTION	FINISH	UNITS
EXK-7-SV	Shootbolt Keep	SV	Each
EXK-9-SV	Centre Keep	SV	Each

- Keeps for Flush Casement Windows using the Excalibur Shootbolt Window System
- One centre keep and two shootbolt keeps required per opening sash



KENRICK KEEP PACKERS

PART NUMBER	PRODUCT DESCRIPTION	FINISH	UNITS
FX-KCKP-BK	Centre keep packer	BK	Each
FX-KSKP-BK	Shootbolt keep packers - 1x LH & 1x RHt	BK	Pair

- 7 degree packers for Excalibur stormproof centre and shootbolt keeps

