



Tempo Weatherseals

Vasto Silicone Weatherseals

SPVT Cutting Tools

Storage Dispenser Rigs

Excellent Thermal Conductivity

Excellent Acoustic Values

Excellent UV Stability

Excellent Sealing & Isolation

Excellent Micro Foam Material

Excellent Test Credentials

Excellent Tolerance Values

Excellent Expansion Barrier

...Just an excellent Weatherseal

LIFETIME WARRANTY



WEATHERSEAL PRODUCT SELECTION GUIDE






Tempo Weatherseal

In just 3 years in working with Deventer, the Tempo Weatherseal has now become an essential component in quality timber doors and windows. With so many developments that enhance the product we have compiled this guide to assist you in the selection and specification of Weatherseals.

As well as improved profiles and an extended range, there is also a number of items that enhance the range such as the SPVT mitre cutting tool, and our new dispenser trolley. If Tempo is new to you, request a free sample for your own trials.



Produced from a TPE material which has been proved to maintain the highest UV stability



SP WEATHERSEAL ADVANTAGES

- Closed cell micro foam, no water absorption possible
- Rigid back for easy installation and to prevent stretch
- Aesthetic look, no wavy effect after installation
- High tolerance due to using foam parts
- Acoustic value to 40dB because of hollow chamber
- Easy creation of gaskets by means of notches with the SPVT Tool

PHYSICAL CHARACTERISTICS

- Working temperature: -40C to +120C
- Colour stability
- UV resistant
- Ozone resistant
- Smoke barrier complying with DIN 18095

PAINT COMPATIBILITY


The quality material is compatible with thinned acrylic paints and alkyd resin paints containing conventional solvents. Paints and coatings of which the properties are unknown must be tested for compatibility in contact with the weatherseals.



THE RANGE - What's New?

SPV124 WEATHERSEAL

NEW
PRODUCT



Used as a compression seal in window or door frames in a 2.8 - 4.2mm groove.


CODE DESCRIPTION COLOUR

SPV124-12	12mm x 150M	
SPV124-15	15mm x 150M	
SPV124-18	18mm x 150M	

PRODUCT COLOUR CODE

BLACK	WHITE
BROWN	GREY

SP7012/15/18 WEATHERSEAL




Used as a compression seal in window or door frames in a 8 x 5mm groove.

CODE DESCRIPTION COLOUR

SP7012	12mm x 150M	
SP7015	15mm x 150M	
SP7018	18mm x 150M	

SP5717 WEATHERSEAL




Normally used as a wiping seal in door or window frames but can also be used as a compression seal. Fits in a standard 7 x 3mm groove.

CODE DESCRIPTION COLOUR

SP5717	Weatherseal 250M	
--------	------------------	--

SP63 WEATHERSEAL



Used as a compression seal in window or door frames in a 6 x 3mm groove.

CODE DESCRIPTION COLOUR

SP63	Weatherseal 300M	
------	------------------	--



Tempo Weatherseal - What's New?

GLAZING GASKET

NEW
PRODUCT



Normally used for external glazing beads.


Normally positioned on internal glazing rebate.

CODE	DESCRIPTION	COLOUR
SV2	Glazing Gasket 200M	BK WH

CODE	DESCRIPTION	COLOUR
S5186	Glazing Gasket 200M	BK WH

SLIDING SASH FLIPPER SEAL

NEW
PRODUCT



CODE	DESCRIPTION	COLOUR
SP5920	Sliding Sash Flipper Seal	BK WH BR



NEW VASTO Silicone WEATHERSEALS

VASTO silicone seals physical characteristics:

- Working temperature -60C. to +250C.
- UV resistant
- Ozone resistant
- Age resistant
- Smoke barrier complying with DIN 18095
- Fire resistant to class E, tested at IFT Rosenheim
- Thermal characteristics

VASTO silicone weatherseals have a high tolerance and are available for the following applications:

- Interior or exterior use
- Windproof and soundproof applications
- Suitable for use in saunas

VASTO WEATHERSEAL ADVANTAGES:


- Outstanding closing pressure
 - High tolerance
 - Good recovery effect
 - Ideal for improving aged constructions
- Available in white, beige, and brown.

PAINT COMPATIBILITY

- Alkyd resin paints
- Polyurethane DD paints
- 2 component epoxy paints
- Nitrocellulose paints
- Chemical containing solvent or water thinned base paints.

CODE	DESCRIPTION
DS112	12mm Silicone Weatherseal x 50M
DS155	15mm Silicone Weatherseal x 50M
DS185	18mm Silicone Weatherseal x 50M

COLOUR
BG WH BR
BG WH BR
BG WH BR





NEW SPVT CUTTING TOOL




The Professional Weatherseal
Mitre Tool

High speed installation

Pre-set blades to ensure an accurate
cut every time

Free Replacement Blades

Gives you pressure testing equivalent
to a welded seal



Watch the
Video

(Scan the code here)



Visit www.coastal-group/Products/Cutting-tool



NEW - The TEMPO TT-13 Weatherseal storage dispenser rig



Total
Protection
Dust
Cover



Reel Support
Spigots



Four Reel
Capacity



Braked Swivel
Castors

NEW PRODUCT

The all new TEMPO TT-13 dispenser rig, designed to carry up to 4x reels of TEMPO Weatherseal giving you up to 1200 metres of seal, ready to use, when and where you want.

With a dust cover to keep the seals clean, the TEMPO Dispenser is the ultimate work-tidy: keeping your Weatherseal investment safe, off the floor and close to hand, whatever the job.

MADE IN BRITAIN



Global House, Bojea Ind Est, Trethowel, St Austell, Cornwall, PL25 5RJ
Call us today on 01726 871726 Visit www.coastal-group.com



**Comprehensive
stocks available for
next day delivery!**

**Request a sample
pack with an
individual sample of
the whole range for
your evaluation.**



**OR - Request a free
6 Metre sample for
trials on your own
installation.**

